

Minnesota



Lighting Retrofit Rebate Application

Lighting Efficiency

OID: _____
Internal use only

This application applies only for projects with invoices on 1/1/2024 or later. There are no longer different rebates for DLC and non-DLC measures and ENERGY STAR® and Non-ENERGY STAR measures.

Customer information

Xcel Energy premises number(s): electric: _____ and/or gas: _____

Company name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact name _____ Phone _____

Contact email* _____ Fax _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

Equipment location description (required) _____

The total project cost: \$ _____
(Acceptable expenses include equipment and labor and do not include tax, freight or costs.)

Customer signature _____ Date _____

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the Terms & Conditions at the end of this application.

Alternative rebate recipient

Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.

Company name _____ Contact name _____

Address _____ Phone _____

City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer signature _____ Date _____

Xcel Energy account representative name _____ Signature _____

Trade partner information (vendor/contractor information)

Company name _____ Trade partner ID# _____

Contact name _____

Address _____ City _____ State _____ ZIP _____

Contact email* _____ Phone _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

Facility characteristics

Is there air conditioning in the space where the energy-efficient lighting will be installed? Air conditioned Heat only No air conditioning or heat

Please indicate the primary use for this location:

24-hour facility

Healthcare office/out-patient

Office

Big box retail/grocery

Hospital

Restaurant

College/university

Hotel/motel

Retail

Continuous lighting required by code

Manufacturing

Warehouse

Elementary/secondary school

Nighttime/exterior LED fixtures

Other _____

Interior installations

New Equipment		Existing Equipment Specifications		Rebate/Unit	Qty. =	Rebate
LED downlight fixtures and solid state LED downlight retrofit kits Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and downlight luminaries. Products must meet product eligibility category definition, certified “downlight” (recessed, surface mount, ceiling mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.						
LED downlight fixture	8W–25W	Replace incandescent systems	\$35/fixture			
	26W–50W		\$50/fixture			
	8W–25W	Replace compact fluorescent systems	\$25/fixture			
	26W–50W		\$35/fixture			
Retrofit kits for LED solid state downlight kit	Any wattage	Replaces any downlight	\$9/fixture			

LED screw-in and pin-based lamps Rebates are based on one-for-one lamp replacements with equivalent LED lamps. Rebates for LED screw-in lamps are available in the prescriptive program or the instant rebate program but cannot be applied for in both programs. If an application is submitted through both programs, one application will be denied.					
A-Lamp, 0–749 lumens	Any screw-in lamp		\$1.00		
A-Lamp, 750–1049 lumens			\$3.00		
A-Lamp, 1050–1489 lumens			\$4.00		
A-Lamp, 1490+ lumens			\$6.00		
Decorative (Candle, Globe, etc)			\$4.00		
MR16			\$5.00		
PAR16			\$3.00		
PAR20, R20			\$4.00		
PAR30, BR30			\$5.00		
PAR38			\$10.00		
BR40			\$6.00		

New Equipment		Existing Equipment Specifications		Rebate/Unit	Qty. =	Rebate
LED direct/indirect linear ambient fixtures and retrofit kits Rebates are based on one-for-one replacement of T5, T8, and T12 fluorescent ambient fixtures with new LED direct/indirect linear ambient fixtures. Products must meet product eligibility category definition: "linear ambient luminaries w/indirect component or direct linear ambient luminaries." Rebates are based on total fixture wattage. For retrofit kits, invoices must be dated 8/1/21 or later.						
LED direct /indirect linear ambient fixtures	10W–35W	Replace T5, T8, T12 fluorescent linear ambient fixtures	\$20/fixture			
	36W–60W		\$25/fixture			
	61W–100W		\$38/fixture			
Retrofit kit for LED direct/indirect linear ambient fixtures	10W–35W		\$15/fixture			
	36W–60W		\$20/fixture			
	61W–100W		\$30/fixture			

LED exit signs Rebates are based on one-for-one replacement of incandescent exit signs to LED exit signs. LED exit signs do not need to follow the DLC requirement (until further notice).					
LED exit sign	Replace incandescent exit signs		\$25/fixture		

LED track lighting Rebates are available for new LED track lighting fixtures.					
LED Track Lighting Fixtures	15W-30W	Replace halogen or incandescent fixtures	\$15/fixture		

Interior installations (continued)

New Equipment		Existing Equipment Specifications		Rebate/Unit	Qty. =	Rebate
LED high/low bay fixtures and retrofit kits Rebates are based on one-for-one replacement of HID or fluorescent high/low/aisle bay fixtures with new LED high/low-aisle bay fixtures and retrofit kits. Products must meet the product eligibility category definition, “high-bay luminaires/high-bay aisle luminaires/low-bay luminaires for commercial and industrial buildings, retrofit kits high-bay luminaires/ high-bay aisle luminaires/low-bay luminaires for commercial and industrial buildings,” to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage. High-bay luminaires must include a permanent LED array of diodes. Fixtures with pin-based tubes are not eligible for this rebate, but are eligible for the rebate offered for linear tubes.						
LED high-/low-bay fixtures	45W–54W	Replace HID fixtures	\$50			
	55W–74W		\$50			
	75W–94W		\$50			
	95W–189W		\$90			
	190W–290W		\$100			
	291W–464W		\$200			
	465W–625W		\$250			
	45W–54W	Replace fluorescent T12, T8 or T5 fixtures	\$50			
	55W–74W		\$50			
	75W–94W		\$50			
	95W–189W		\$90			
	190W–290W		\$100			
	291W–464W		\$130			
	465W–625W		\$165			
Retrofit kit for LED high-/low-bay fixtures	45W–54W	Replace HID and fluorescent fixtures	\$30			
	55W–74W		\$30			
	75W–94W		\$30			
	95W–189W		\$30			
	190W–290W		\$40			
	291W–464W		\$50			
	465W–625W		\$105			
LED linear tubes Rebates are based on one-for-one replacement of fluorescent T5, T8, or T12 lamps with new LED linear lamps. Non-installed Type A and Type B lamps purchased in cases can qualify for rebates as long as they are stored on the customer’s premises. Products must meet product eligibility category definition, “replacement lamps (plug and play)(UL Type A),” “Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B),” and “External - driver lamp-style retrofit kits (UL Type C).” Rebates are based on new lamp nominal wattage, and pertain to 2’, 3’, and 4’ lamp lengths. 8’ lamp lengths should be submitted as two 4’ lamp lengths. Submit 3’ lamps through the prescriptive rebate program beginning 9/1/22.						
T5 and T8 LED linear tubes – Type A		Replace T5, T8, T12 fluorescent lamps	\$2/lamp			
T5 and T8 LED linear tubes – Type B			\$3/lamp			
T5 and T8 LED linear tubes – Type C			\$5/lamp			
LED-to-LED linear tubes Rebates are based on one-for-one replacement of older generation interior LED Type B linear lamps, with new LED Type B linear lamp replacements. Invoices must be dated 6/11/24 or later to qualify for prescriptive rebates.						
Linear tube Type B		Replace old gen LED Type B linear tubes	\$3/lamp			
LED mogul (E26 & E39) screw-based lamps Rebates are based on one-for-one replacement of interior HID mogul-based screw-in lamps with new LED mogul screw base lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the customer’s premises. Products must meet product eligibility category definition “mogul screw-based replacements for HID lamps for high-/low-bay luminaires (internal driver/UL type B).” UL type C lamps do not qualify for prescriptive rebates but can be considered in the custom efficiency program. New lamps must be interior installations.						
LED mogul screw-based lamps	30W–39W	Replace HID lamps	\$30/lamp			
	40W–49W		\$40/lamp			
	50W–79W		\$50/lamp			
	80W–119W		\$60/lamp			
	120W–144W		\$75/lamp			
	145W–230W		\$75/lamp			
LED refrigerated case lighting Rebates are based on replacement of T12 or T8 linear 5’ to 6’ fluorescent refrigerated case door lighting with new 5’ to 6’ LED refrigerated case door strip lighting. Products must meet product eligibility category definition “vertical refrigerated case luminaires.” Category covers only complete luminaires, with all necessary components. Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate.						
5- or 6-foot doors		Replace fluorescent T8 or T12 systems	\$45/door			

Interior installations (continued)

New Equipment	Existing Equipment Specifications	Rebate/Unit	Qty. =	Rebate
LED replacement for pin-based CFL lamps Rebates are based on one-for-one replacement of CFL 2- or 4-pin lamps. Includes PL and PLL LED lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the customer's premises. Products must meet the product eligibility category definition, "LED replacement for pin-based CFL lamps (UL Type A)." UL Type B pin-based lamps are available for invoices dated on or after March 1, 2020.				
LED 2-pin or 4-pin lamps, 5W-21W	Replace CFL 2 or 4-pin lamps	\$7/lamp		
LED stairwell fixtures Rebates are based on one-for-one replacement of a T12, T8, T5, HID, or CFL with a 20W-60W LED stairwell fixture. Stairwell fixtures do not need to have an integrated occupancy or step dimming ballast to be eligible for the prescriptive stairwell rebate. Instead customers can receive separate rebates for the controls portion of the fixture through the new standalone controls rebates. Products must meet the product eligibility category definition, "stairwell/passage way luminaires."				
20W-60W	Replace T5, T8 and T12 HID or CFL systems	\$40/fixture		
LED troffer fixtures and retrofit kit Rebates are based on one-for-one replacement of fluorescent T12, T8, or T5 fixtures with new LED troffer fixtures or retrofit kits. Products must meet the product eligibility category definition, "1x4, 2x2, and 2x4 luminaires for ambient lighting of interior commercial spaces" and "integrated-style retrofit kits for 1x4, 2x2" and "linear-style retrofit kits for 2x2, 1x4, and 2x4 luminaires for ambient lighting of interior commercial spaces." Rebates are based on total new fixture wattage.				
LED troffer fixtures and retrofit kit for LED troffer fixtures	10-100W Replace fluorescent T12, T8 and T5 troffer fixtures	\$30/fixture		
LED-to-LED Fixtures Rebates are based on one-for-one replacement of older generation interior LED fixtures, with new LED fixture replacements. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Invoices must be dated 6/11/24 or later to qualify for prescriptive rebates.				
LED Downlight Fixture	Replace old gen LED downlight fixtures	\$30		
LED Highbay Fixture	Replace old gen LED high-bay fixtures	\$75		
LED Linear Ambient Fixture	Replace old gen LED linear ambient fixtures	\$35		
LED Troffer Fixture	Replace old gen LED troffer fixtures	\$30		

Indoor grow lighting installations

Prescriptive rebates are available for retrofit indoor agricultural grow lighting projects. Rebates are only available for LED grow lighting equipment. **To qualify, all horticulture lighting equipment must be installed, operational and have plants in an active growth stage underneath the equipment.** Photon flux efficacy rating for the equipment being installed must be noted on the equipment specification sheets. Rebates are based on total fixture wattage.

New equipment	Specifications	Rebate/Unit	Qty. =	Rebate
LED indoor horticultural lighting Rebates are based on total fixture wattage. Photosynthetic photon flux (PPF) rating for the equipment being installed must be noted on the equipment specification sheets. Greenhouse applications, LED intra-canopy grow lights or LED lights installed within and below the plant canopy and LED-to-LED upgrades are not eligible through this measure but can still qualify for a custom rebate. To qualify, all horticulture lighting equipment must be installed, operational and have plants in an active growth stage underneath the equipment. If multiple types of equipment are being installed in a single grow room, please submit the project through the custom efficiency rebate program. If you upgrading your lighting in various grow rooms please utilize more than one line item.				
LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		
LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		
LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		
If replacing existing equipment, please note which type of equipment you are replacing. HPS CMH MH Fluorescent				
Please indicate the primary crop type/stage grown at this location (definitions noted in the program rules and requirements section): Cannabis Flower Room Vegetative/propagation growth/Clone Room Microgreens Cannabis Vegative Room Flowering Crops (tomatoes/peppers/flowers)				

Exterior installations

New Equipment	Rebate/Unit	Qty. =	Rebate
LED canopy fixtures Rebates are based on one-for-one replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Products must meet the product eligibility category definition, "Fuel pump canopy luminaires." Equipment must be hard-wired and is not limited to gas station installations. Rebates are based on total new fixture wattage. Downlights do not qualify.			
25W-60W	\$20/fixture		
61W-150W	\$25/fixture		

LED parking garage fixtures

Rebates are based on one-for-one replacement of HID and fluorescent parking garage fixtures with new LED parking fixtures rated for exterior use. Products must meet the product eligibility category definition: "parking garage luminaires." Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. LED retrofit kits are not available for prescriptive rebates, but can be considered in the custom efficiency program. Rebates are based on the total new fixture wattage. Invoices for LED parking fixtures must be dated on or after Jan. 1, 2021.

15W–24W	\$100/fixture		
25W–60W	\$115/fixture		
61W–83W	\$125/fixture		

LED street and area lighting fixtures

Rebates are based on one-for-one replacement of HID fixtures with new LED fixtures rated for exterior use. Products must meet the product eligibility category definition, "outdoor pole/arm-mounted re and roadway luminaire" or "bollard." Customers must be on an A34 street light rate to qualify for LED street lighting rebate. Rebates are based on total new fixture wattage.

Street lighting	30W–44W	\$15/fixture		
	45W–55W	\$25/fixture		
	56W–79W	\$25/fixture		
	80W–109W	\$25/fixture		
	110W–139W	\$40/fixture		
	140W–209W	\$50/fixture		
Area lighting	15W–24W	\$35/fixture		
	25W–34W	\$35/fixture		
	35W–44W	\$35/fixture		
	45W–65W	\$35/fixture		
	66W–89W	\$35/fixture		
	90W–119W	\$40/fixture		
	120W–140W	\$50/fixture		
	141W–199W	\$60/fixture		
	200W–550W	\$90/fixture		

LED wall pack fixtures – exterior and parking garage installations

Rebates are based on one-for-one replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Products must meet product eligibility category definition, "outdoor wall-mounted area luminaires." Rebates are based on total new fixture wattage.

Building exterior	10W–25W	\$15/fixture		
	26W–60W	\$30/fixture		
	61W–150W	\$50/fixture		
Parking garage	10W–25W	\$30/fixture		
	26W–60W	\$60/fixture		
	61W–150W	\$75/fixture		

Subtotal for LED rebates**LED mogul (E26 & E39) screw-based lamps**

Rebates are based on one-for-one replacement of exterior HID mogul-based screw-in lamps with new LED mogul screw based lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the customer's premises. Products must meet the product eligibility category definition: "mogul screw-based replacements for HID lamps for high-/low-bay luminaires (internal driver/UL type B)." UL type C lamps do not qualify for prescriptive rebates but can be considered under the custom efficiency program. New lamps must be exterior installations.

LED mogul screw-based lamps	30W–39W	Replace HID lamps	\$30/lamp		
	40W–49W		40W–49W \$40/lamp		
	50W–79W		50W–79W \$50/lamp		
	80W–119W		80W–119W \$60/lamp		
	120W–144W		120W–144W \$75/lamp		
	145W–230W		145W–230W \$75/lamp		

LED downlight fixtures

Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and downlight luminaires. Products must meet eligibility category definition certified "downlight" (recessed, surface mount, ceiling mount or pendant) to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.

8W–25W	Replace incandescent systems	\$35/fixture		
26W–50W		\$50/fixture		
8W–25W	Replace compact fluorescent systems	\$25/fixture		
26W–50W		\$35/fixture		

New Equipment	Existing Equipment Specifications	Rebate/ Unit	Qty. =	Rebate
LED-to-LED Rebates are based on one-for-one replacement of older generation exterior LED fixtures, with new LED fixture replacements rated for exterior use. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Invoices must be dated 6/11/24 or later to qualify for prescriptive rebates.				
LED area light fixture	Replace old gen LED area light fixtures	\$70		
LED canopy fixture	Replace old gen LED canopy fixtures	\$25		
LED wallpack fixture	Replace old gen LED wallpack fixtures	\$45		
Standalone and networked lighting controls				

Lighting control rebates are available for LED interior retrofit and parking garage retrofit fixtures. Controlled fixtures must either be retrofit in conjunction with the controls installation or installed within the past 5 years. Information verifying the connected LED fixtures must be provided to verify the controlled wattage. Control rebates are in addition to fixture rebates.

New Equipment	Specifications	Rebate/ Watt	Qty. Watts Connected	Rebate
Standalone lighting controls Rebates are based on the amount of watts controlled by the sensor. The occupancy and/or photocell controls must be permanently mounted to a wall, ceiling or integrally into the fixture. To earn a standalone lighting control rebate, the fixture cannot exceed 35% of full wattage during unoccupied periods. The low mode setting should be chosen so that the surface illumination levels are code compliant. Standalone controls must function independently, not as part of a networked lighting control system. For high end trim rebates, the fixture power must be reduced a minimum of 20% and up to 40% of the rated wattage. This rebate cannot be combined with any of the other controls measures. If you are implementing high end trim in conjunction with occupancy and daylighting, please refer to the networked lighting controls measure.				
Occupancy sensor Luminaire Level (LLC) Wall or ceiling mount	Adjusts light levels according to the presence of occupants	\$0.05/watt		
Daylighting (photocell) sensor Luminaire Level (LLC) Wall or ceiling mount	Adjusts light levels automatically in response to the presence of natural light	\$0.10/watt		
Occupancy and daylighting (photocell) sensor Luminaire Level (LLC) Wall or ceiling mount	Performs functions of both	\$0.15/watt		
Rebates for high end trim are available for invoices dates on or after September 1, 2022				
High end trim	Permanently reduces the maximum light output to the appropriate light level for the space.	\$0.15/watt		

Networked lighting controls (NLC) Rebates are based on the amount of watts controlled by the system. Rebates are available for NLC equipment that meet the following system requirements: (1) High end Trim: Required, 80% or lower; (2) Daylighting: Must be deployed where side and top lighting is available as defined in IECC 2015, https://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency ; (3) Occupancy sensing: Controls configured in occupancy or vacancy mode with timeout set to 20 minutes or less. (4) Commissioning: Project has been commissioned to comply with the above requirements 1-4. Networked lighting control systems with additional capabilities may be eligible for increased rebates through the advanced lighting controls custom offering. (5) Controlled fixtures must be LED, either retrofit in conjunction with the controls installation or installed within the past 5 years. Spec sheets and invoices for connected LED fixtures must be provided to verify the controlled wattage. Projects invoiced before 1/1/2024 must be DLC listed. Projects invoiced on 1/1/2024 or later do not need to be DLC listed.				
Networked lighting control (NLC)		\$0.40/watt		
*I certify the five networked lighting controls requirements listed above are met, the system has been commissioned, and working as designed.				
Commissioning agent information (commissioning agent is the programmer of the NLC system) Company name _____ Agent name _____ Agent signature _____ Date _____				

Subtotal for standalone and networked control rebates

Rebate payment option (if no option is chosen, the reimbursement will default to a check).

Check (rebate will be mailed)

Bill credit (rebate will be applied as a credit to the Xcel Energy account)*

Direct deposit (ACH payments are available to customers enrolled in auto-pay)

*Must be an active Minnesota commercial customer to qualify for this payment option.)

Removed Lighting	Fixture Qty.
Baseline lamp type: T5 T8 T12	
Baseline lamp wattage _____	
Lamps per fixture _____	
Ballast factor: HBF NBF LBF	
Baseline lamp type: T5 T8 T12	
Baseline lamp wattage _____	
Lamps per fixture _____	
Ballast factor: HBF NBF LBF	

Removed Lighting	Lamp Qty.
Fluorescent T12 T8 T5 2-foot lamp 3-foot lamp 4-foot lamp Linear U-bend	
Ballast factor _____	
Wattage per lamp _____	
Fluorescent T12 T8 T5 2-foot lamp 3-foot lamp 4-foot lamp Linear U-bend	
Ballast factor _____	
Wattage per lamp _____	
Pin-based, 2- or 4-pin lamp	
Wattage per lamp _____	

Installed High-Efficiency Lighting	Fixture Qty.
LED bi-level stairwell fixture Fixture wattage _____	
LED troffer Troffer Retrofit Fixture wattage _____ Fixture lumens _____	
Direct linear ambient Fixture Kit Fixture wattage _____ Fixture lumens _____	

Installed High-Efficiency Lighting	Lamp Qty.		
LED linear replacement lamps	Replacement lamps (UL type A) Linear U-bend	2-foot	
	Ballast factor _____	3-foot	
	Nominal wattage per lamp _____	4-foot	
	Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B) Nominal wattage per lamp _____	2-foot	
		3-foot	
		4-foot	
	External-driver lamp style retrofit kits (UL Type C) Wattage per lamp _____	2-foot	
		3-foot	
		4-foot	
	LED replacement for pin-based CFL lamps Type A Type B Nominal wattage per lamp _____		

Removed Lighting	Fixture Qty.
Incandescent Wattage per lamp _____ Number of lamps _____	
Incandescent Wattage per lamp _____ Number of lamps _____	
Compact fluorescent Wattage per lamp _____ Number of lamps _____	

Installed High-Efficiency Lighting	Fixture Qty.
Interior LED downlight luminaires Wattage per fixture _____	
Screw-in LED retrofit kit Wattage per fixture _____	
Screw-in LED lamp Wattage per fixture _____	

Removed Lighting	Fixture Qty.	Installed High-Efficiency Lighting	Fixture Qty.
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED fuel pump canopy fixtures Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED wall pack fixtures Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED parking garage fixture Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED area lighting Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED street lighting Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Interior LED high-bay fixture Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Interior LED high-bay retrofit kit Wattage per fixture _____	
High-intensity discharge (HID) High-pressure sodium Mercury vapor Metal halide Pulse-start metal halide Magnetic ballast Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Interior LED mogul screw-based replacements for HID lamps Wattage per fixture _____	

Removed Lighting	Fixture Qty.
High-bay baseline lamp type: T5 T8 T12 Baseline lamp wattage _____ Lamps per fixture _____ Ballast factor: HBF NBF LBF	

Removed Lighting	Fixture Qty.	Installed High-Efficiency Lighting	Fixture Qty.
Incandescent exit signs Wattage _____		LED exit signs LEC exit signs	
Fluorescent case lighting 5-foot 6-foot Cooler case Freezer case T8 T12 Wattage/door _____		LED case lighting Wattage per door _____	

Standalone and networked lighting controls

Sensor type				
Occupancy sensor	Daylighting (photocell) sensor	Occupancy and daylighting (photocell) sensor	High-End Trim	Networked Lighting Control
LLC	Number of fixtures _____	Connected watts _____		

Sensor type				
Occupancy sensor	Daylighting (photocell) sensor	Occupancy and daylighting (photocell) sensor	High-End Trim	Networked Lighting Control
LLC	Number of fixtures _____	Connected watts _____		

Cost worksheet

Enter the total equipment and labor costs for each individual product. An individual product is defined as a specific lighting technology with a single wattage value, or a lighting control.

[illegible]

How to apply

1. Rebate application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

This rebate program, including but not limited to available rebate amounts and program terms, are subject to change or cancellation by Xcel Energy at any time. Funding for the rebate program is limited and will be available to qualifying customers who meet all rebate requirements on a first-come, first-served basis. Rebates will be available until the funding approved by the Public Utility Commission for the rebate program is expended, or the rebate program is discontinued. Customers should check the company's website or call 800-481-4700 to determine if the rebate program has been discontinued or updated and if rebates are still available, prior to making any purchase.

2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

3. Qualifying Facility characteristic definitions

Cannabis/marijuana flower room: Cannabis plants are in the flower/bloom stage of growth.

Cannabis/marijuana vegetative room: Cannabis plants are in the early grow/pre-bloom stages of growth.

Flowering room (for non-cannabis plants): Plants are in the flower/bloom stage of growth.

Vegetative/propagation room (for non-cannabis plants): Plants are in the early grow/pre-bloom stages of growth - typically to breed seedlings for replanting.

Microgreens: Mini lettuce - Early growth stage of the plant.

4. Submittal

Please submit forms to an account manager (if applicable). If there is not an Xcel Energy account manager on the account, please email forms to: EnergyEfficiency@xcelenergy.com (preferred), or fax to 800-311-0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and requirements

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying lighting equipment in an existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855-839-8862 for custom lighting project review prior to beginning the project.

Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check the Xcel Energy website (xcelenergy.com) to verify eligibility. Residential customers — please contact Xcel Energy at 800-895-4999 to learn about our residential energy efficiency programs.

Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- Retrofit projects that are not a one-for-one replacement may be submitted through the prescriptive program if the baseline fixtures are reduced by less than 50%. If the retrofit project reduces fixtures by more than 50%, the project will need to be analyzed through the Custom program. Custom rebates require application submittal before equipment order, purchase, or installation. Visit xcelenergy.com/CustomEfficiency to learn more.

- Customers who purchase lights in bulk can earn rebates on select LED lamps (listed below) for stocking purpose. Lamps in storage MUST remain on the premises.
 - LED Linear tubes Type A and Type B
 - LED mogul screw-based lamps
 - LED 2 pin and 4 pin lamps
- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 24 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please contact an account manager or call our Business Solutions Center at 855-839-8862 for additional date restriction details.
 - If your equipment invoice is dated prior to January 1, 2022, you have 12 months from the date of purchase to submit your rebate application.
 - If your equipment invoice is dated on or after January 1, 2022, you have 24 months from the date of purchase to submit your rebate application.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Xcel Energy will issue rebates in the form of checks if no other option is selected on the rebate application. Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks.
- Equipment must meet the technical requirements listed in this application form. Qualifying LED lighting technology will be eligible if the wattage falls within +/- 10 percent of the lowest and highest wattage level for the rebated product. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that the project does not comply with program rules and standards, any rebate received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with an account manager or call the Business Solutions Center at 855-839-8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize participation in this program, unless specifically requested otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at iesna.org.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. Find a list of participating retailers at xcelenergy.com/BulbFinder.

Warranty information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.