

Minnesota



Lighting Efficiency

New Construction Program Rebate Application

Opportunity ID: _____

This application applies only for projects with invoices on 1/1/2024 or later. There are no longer different rebates for DLC and non-DLC measures and Energy Star and Non-Energy Star measures.

Customer information

Xcel Energy premises numbers: Electric: _____ and/or gas: _____

Company name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact name _____ Phone _____

Contact email* _____ Fax _____

Equipment location description (required) _____

The total project cost: \$ _____
(Acceptable expenses include equipment and labor and do not include tax, freight or costs.)

Customer signature _____ Date _____

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the terms and conditions on page 6 of this application.

Alternative rebate recipient

Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.

Company name _____ Contact name _____

Address _____ Phone _____

City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer signature _____ Date _____

Xcel Energy account representative name _____ Signature _____

Trade partner information (vendor/contractor information)

Company name _____ Trade partner ID# _____

Contact name _____

Address _____ City _____ State _____ ZIP _____

Contact email* _____ Phone _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

Facility characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? Air conditioned Heat only No air conditioning or heat

Please indicate the primary use for this location:

24-hour facility	Healthcare office/out-patient	Office
Big box retail/grocery	Hospital	Restaurant
College/university	Hotel/motel	Retail
Continuous lighting required by code	Manufacturing	Warehouse
Elementary/secondary school	Nighttime/exterior LED fixtures	Other _____

INTERIOR INSTALLATIONS

New Equipment	Specifications	Rebate/Unit	Qty. =	Rebate
LED downlight fixtures Rebates are available for new LED down-light fixtures. Products must meet product eligibility category definition, "Down-light" (recessed, surface mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage.				
8W–25W	LED downlight wattage per fixture _____	\$25/fixture		
26W–50W		\$40/fixture		

LED screw-in or pin-based lamps and LED retrofit kits for downlights				
A-lamp, PAR, BR, R, MR, Decorative lamps	Select screw-in and pin-based LED lamps and LED downlight solid state retrofit kits are eligible for instant rebates at time of purchase from participating distributors. For more information, visit xcelenergy.com/LightingEfficiency , or visit businessledinstantrebate.com/Locator/Distributors to find a distributor.			
LED retrofit kit for downlights				

New Equipment	Specifications	Rebate/Unit	Qty. =	Rebate
LED direct linear ambient fixtures and retrofit kits Rebates are available for direct linear ambient fixtures. Products must meet product eligibility category definition, "Direct Linear Ambient Luminaires" to qualify for a rebate. Rebates are based on total new fixture wattage. Retrofit kit invoices must be dated 8/1/21 or after.				
LED direct linear ambient fixtures	less than 35W	\$15/fixture		
	36W–60W	\$20/fixture		
	61W–100W	\$25/fixture		
Retrofit kit for LED direct linear ambient fixtures	less than 35W	\$10/fixture		
	36W–60W	\$15/fixture		
	61W–100W	\$20/fixture		

LED high/low bay lighting fixtures Rebates are available for new LED high/low bay lighting. Products must meet the eligibility category definition, "High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings." Rebates are based on total new fixture wattage. High Bay luminaires must include a permanent LED array of diodes. Fixtures with pin-based tubes are not eligible for this rebate..				
75W–94W	LED high/low bay wattage per fixture _____	\$40/fixture		
95W–189W		\$80/fixture		
190W–290W		\$90/fixture		
291W–464W		\$110/fixture		
465W–625W		\$115/fixture		

LED linear tubes Rebates are for T5, T8, or T12 new LED linear Type A, B, and C lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the customer's premises. Products must meet the product eligibility category definition "Replacement Lamps (plug and play) (UL Type A), Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B)" and "External - driver lamp-style retrofit kits (UL Type C)." Rebates are based on new lamp nominal wattage, and pertain to 2' and 4' lamp lengths. Eight-ft. lamp lengths should be submitted as two 4' lamp lengths. Three-ft. lamp lengths should be submitted Custom.				
Type A	Nominal wattage per lamp _____	\$2/lamp		
Type B		\$3/lamp		
Type C		\$5/lamp		

LED refrigerated case lighting Rebates are available for new 5' to 6' LED cooler or freezer case door strip lighting. Products must meet the product eligibility category definition, "Vertical Refrigerated Case Luminaires." Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate. Category covers only complete luminaires with all necessary components.				
5- or 6-foot doors _____ Number of cooler doors _____ Number of freezer doors _____ Wattage/door _____		\$35/door		

New Equipment	Specifications	Rebate/Unit	Qty. =	Rebate
LED stairwell fixtures Rebates are stairwell fixture. Stairwell fixtures do not need to have an integrated occupancy or step dimming ballast to be eligible for the stairwell rebate. Products must meet the product eligibility category definition, "Stairwell/passageway luminaires." Stairwell fixture invoices must be dated 8/1/21 or after..				
20W–60W	LED wattage per fixture _____	\$30/fixture		

INTERIOR INSTALLATIONS (continued)**LED troffer fixtures**

Rebates are new LED troffer fixtures. Products must meet the product eligibility category definitions, "1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces." Rebates are based on total new fixture wattage.

10W–100W	LED troffer wattage per fixture _____ Fixture lumens _____ (Fixture lumens field is required)	\$30/fixture		
----------	---	--------------	--	--

INDOOR GROW LIGHTING INSTALLATIONS

Prescriptive rebates are available for new construction indoor agricultural grow lighting projects. Rebates are only available for LED grow lighting equipment. Photon flux efficacy rating for the equipment being installed must be noted on the equipment specification sheets. Rebates are based on total fixture wattage.

New equipment	Specifications	Rebate/Unit	Qty. =	Rebate
---------------	----------------	-------------	--------	--------

LED indoor horticultural lighting

Rebates are based on total fixture wattage. Photosynthetic photon flux (PPF) rating for the equipment being installed must be noted on the equipment specification sheets. Greenhouse applications and LED-to-LED upgrades are not eligible through this measure but can still qualify for a custom rebate. If multiple types of equipment are being installed in a single grow room, please submit the project through Custom Efficiency. If you upgrading your lighting in various grow rooms please utilize more than one line item.

LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		
LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		
LED indoor horticulture lighting	Wattage per fixture _____ Fixture PPF rating _____	\$0.70/watt installed		

Please indicate the primary crop type/stage grown at this location (definitions noted in the program rules and requirements section):

Cannabis Flower Room Vegetative/propagation growth/Clone Room Microgreens Cannabis Vegative Room Flowering Crops (tomatoes/peppers/flowers)

STANDALONE AND NETWORKED LIGHTING CONTROLS

New Equipment	Specifications	Rebate/watt	Qty. watts connected	Rebate
---------------	----------------	-------------	----------------------	--------

Standalone lighting controls

Adjusts light levels to the presence of occupants. Rebates are available on a watts per fixture basis. To earn a standalone lighting control rebate, the fixture cannot exceed 35% of full wattage during unoccupied periods. The occupancy controls must be permanently mounted to a wall, ceiling or integrally into the fixture. Standalone controls must function independently, not as part of a Networked Lighting Control system. Excludes facilities/spaces where occupancy sensors are required by the MN building or ASHRAE 90.1-2019 9.4.1.1[h] codes. Standalone controls invoices must be dated 8/1/21 or after.

Occupancy sensor Luminaire Level (LLC) Wall or ceiling mount	Number of fixtures _____	\$.05/watt		
--	--------------------------	------------	--	--

I have reviewed the codes above and have installed the occupancy sensors eligible for rebates in facilities/spaces that are not required by code.

Signature of contractor or customer _____

Networked Lighting Controls (NLC)

Rebates are based on the amount of watts controlled by the system. Rebates are available for NLC equipment that meet the following system requirements: (1) High-End Trim: Required, 80% or lower; (2) Daylighting: Must be deployed where side and top lighting is available as defined in IECC 2015, <https://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency>; (3) Occupancy sensing: Controls configured in occupancy or vacancy mode with timeout set to 20 minutes or less. (4) Commissioning: Project has been commissioned to comply with the above requirements 1-4. Networked lighting control systems with additional capabilities may be eligible for increased rebates through the Advanced Lighting Controls Custom offering. (5) Controlled fixtures must be LED, either retrofit in conjunction with the controls installation or installed within the past 5 years. Spec sheets and invoices for connected LED fixtures must be provided to verify the controlled wattage. Projects invoiced before 1/1/2024 must be DLC listed. Projects invoiced on 1/1/2024 or later do not need to be DLC listed.

Networked Lighting Control (NLC)	\$0.40/watt		
----------------------------------	-------------	--	--

*I certify the six (6) networked lighting controls requirements listed above are met, the system has been commissioned, and working as designed.

Commissioning agent information (commissioning agent is the programmer of the NLC system)

Company name _____

Agent name _____

Agent signature _____ Date _____

Subtotal for standalone and networked control rebates

EXTERIOR INSTALLATIONS

New Equipment			Rebate/unit	Qty. =	Rebate	
LED area lighting fixtures						
Rebates are available for new LED area fixtures. Products must meet the product eligibility category definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "bollard." Rebates are based on total new fixture wattage.						
45W–65W	Area Lighting Wattage _____		\$35/fixture			
66W–89W			\$35/fixture			
90W–119W			\$40/fixture			
120W–140W			\$50/fixture			
141W–199W			\$60/fixture			
200W–550W			\$90/fixture			
LED canopy fixtures						
Rebates are available for new LED canopy fixtures that are rated for exterior use. Products must meet the product eligibility definition, "Fuel Pump Canopy Luminaires." Equipment must be hard-wired and is not limited to gas station installations. Downlight fixtures do not qualify. Rebates are based on total new fixture wattage.						
25W–60W	LED canopy wattage per fixture _____		\$20/fixture			
61W–150W			\$25/fixture			
LED downlight fixtures and solid state LED downlight retrofit kits						
Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and downlight luminaires. Products must meet eligibility category definition, certified "Downlight" (recessed, surface mount, ceiling mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage..						
LED downlight fixture	8W–25W	LED Downlight Wattage _____		\$25/fixture		
	26W–50W			\$40/fixture		
LED parking garage fixtures						
Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and down-light luminaires. Products must meet product eligibility category definition, certified "down-light" (recessed, surface mount, ceiling mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.						
25W–60W	LED parking wattage per fixture _____		\$25/fixture			
61W–83W			\$35/fixture			
LED street lighting fixtures						
Rebates are available for new LED street lighting fixtures. Products must meet the product eligibility definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "Outdoor Pole/Arm-Mounted Decorative Luminaire." Customers must be on an A34 Street Light Rate to qualify for LED street lighting rebate. Rebates are based on total new fixture wattage.						
30W–44W	Street Lighting Wattage _____		\$15/fixture			
45W–54W			\$25/fixture			
55W–79W			\$25/fixture			
80W–109W			\$25/fixture			
110W–139W			\$40/fixture			
140W–209W			\$50/fixture			
LED wall pack fixtures – Exterior and parking garage installations						
Rebates are available for new LED wall pack fixtures that are rated for exterior use. Products must meet the category definition, "Outdoor Wall-Mounted Area Luminaires." Rebates are based on total new fixture wattage. Wall packs installed in parking garages must operate 24 hours a day.						
Building exterior	10W–25W	LED wall pack wattage per fixture _____		\$11.25/fixture	\$15/fixture	
	26W–60W			\$22.50/fixture	\$30/fixture	
	61W–150W			\$37.50/fixture	\$50/fixture	
Parking garage	10W–25W			\$11.25/fixture	\$15/fixture	
	26W–60W			\$22.50/fixture	\$30/fixture	
	61W–150W			\$37.50/fixture	\$50/fixture	
Subtotal for LED rebates						

Enter the total equipment and labor costs for each individual product. An individual product is defined as a specific lighting technology with a single wattage value.

Page 5 of 7

How to apply

1. Rebate application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self installed, please include a labor cost based on the install time and rate of pay of the installer. Please reference example A for further clarification.

3. Submittal

Please email forms to: EnergyEfficiency@xcelenergy.com (preferred), or fax to 800-311-0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and requirements

Xcel Energy provides energy efficient rebates for the purchase and installation of new, qualifying lighting equipment in a new building, new addition to an existing building, or major renovation of an existing building (where a completely new lighting layout has been created with no one-for-one replacements). Rebates are based on total new fixture wattage. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires application submittal before equipment order, purchase, or installation. Visit xcelenergy.com/CustomEfficiency to learn more. Please contact an Xcel Energy representative or the Business Solutions Center at 855-839-8862 for Custom Lighting project review prior to beginning the project.

Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check xcelenergy.com/LightingEfficiency to verify eligibility. Residential customers—please contact Xcel Energy at 800-895-4999 to learn about residential energy efficiency programs.

Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased and operating prior to submitting an application for a rebate.
- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 24 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please contact an account manager or call our Business Solutions Center for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of forms may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.

- Xcel Energy will issue rebates in the form of checks if no other option is selected on the rebate application. Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks.
- Equipment must meet the technical requirements listed in this application form. Qualifying LED lighting technology will be eligible if the wattage falls within +/- 10 percent of the lowest and highest wattage level for the rebated product. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. If the inspection finds that the project does not comply with program rules and standards, any rebate you have received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of cancellation. The customer and contractor are responsible for checking with the Business Solutions Center at 855-839-8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize participation in this program, unless specifically requested otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. Find a list of participating retailers at xcelenergy.com/BulbFinder.
- **Rebate payment option (if no option is chosen, the reimbursement will default to a check)**
 - Check (rebate will be mailed)**
 - Bill credit (rebate will be applied as a credit to the Xcel Energy account)***
 - Direct deposit (ACH payments are available to customers enrolled in auto-pay)**

Warranty information**Xcel Energy:**

- Does not endorse any particular manufacturer, product or system design by offering these rebates;
- Is not responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.

Example A

Emily's Lighting Company		Invoice				
123 Main St. Denver, CO 80202		Date 01/02/2017	Invoice # 62006-1			
Bill to: XYZ Company 234 Lipan St. Denver, CO 80223		Ship to: XYZ Company 234 Lipan St. Denver, CO 80223				
Detailed product codes Identify manufacturing part information		P.O. No. Bill				
		Terms 2% 10 Net 30				
Item	Qty	Description	Rate	Serviced	Amount	
JLCF032/841/XPS/ECO	100	Acme XPS F032/841/XPS/ECO Fluorescent Lamp	4.70		470.00T	
JLCHE4X32T8/UNV/...	25	Acme JLCHE4X32T8/UNV/1SN-SC Electronic 4" Ballast for (4) F032T8 Lamps Universal Voltage 120-277v	27.78		694.50T	
HD 30-072	200	72B Blue Wirenut	0.16		32.00T	
		Installed T8 lamps and electronic ballasts				
Labor	1	Labor	448.00	2/20/2007	448.00	
Travel	0	Travel	64.00	2/20/2007	0.00	
Environmental Fee	1	Environmental Fee	82.11		82.11	
		Local Total Tax	7.60%		90.94	
Thank you for your business. Please remit payment to Emily's Lighting Company					Total	\$1,817.55

Good description

Specify the quantity for each item

Note labor and other expenses separately from other materials

List price for each item and total